

Ryder Transportation EDI Electronic Data Interchange

EDI 204

Motor Carrier Load Tender Version 004010

Document: Version: 2.1
Document Date: July 14, 2010



EDI Services

204 Motor Carrier Load Tender Transaction Set – Introduction

Ryder uses the EDI 204 to tender loads of freight to carriers. The EDI 204 is used in conjunction with the EDI 990 Response To A Load Tender. The 204 will include all of the shipment information which includes the origin (ship from), destination (ship to), Ryder Load Number and other relevant reference numbers. Unless agreed to beforehand with Ryder that a carrier will accept all loads tendered to them then they must respond with an EDI 990 stating if the load is accepted or rejected.

Functional Acknowledgement

An EDI 997 transaction set is required within one hour of Ryder's creation of the EDI 204.

Response To A Load Tender

Unless agreed to beforehand with Ryder, an EDI 990 transaction set accepting or rejecting the load tender is required for each EDI 204. The EDI 990 must be received by the "Must Respond By Date" and "Must Respond By Time" that will be sent within the EDI 204. If the EDI 990 is not received by this time the load is subject to be reassigned to another carrier.

204 Sample Data

Multistop Tender Example-

ISA*00* *00* *14*006922827TMO204*02*CARRIERID *050829*1025*U*00401*010100170*0*P*~
 GS*SM*006922827TMO204*CARRIERID*20050829*1025*10100170*X*004010~
 ST*204*10100170~
 B2**SCAC**0000003*L*PP*L~
 B2A*00*LT~
 L11*12345*DI~
 G62*64*20060126*1*1117*ET~
 AT5*OTC*D2~
 NTE**Carrier cannot deliver beyond the scheduled delivery date without Ryder's approv~
 NTE**al. Adherence is expected for PU and delivery deadlines. Driver must have Load~
 NTE** # & PO # Ref # and must be aware of special instructions. Trailers must be cle~
 NTE**an upon arrival @ origin. PU or DEL changes must be pre-approved by Ryder. Any~
 NTE** operational problems must be reported to Ryder @ 866-339-9282 Billing inquire~
 N1*BT*Reckitt Benckiser c/o Ryder*93*RECKITT~
 N3*PO BOX 134003~
 N4*ANN ARBOR*MI*48103*USA~
 N7**987654*****2B****4806*****10*8~
 S5*1*LD*20000*L*2*PC*2500*E~
 G62*69*20060201*U*1300*ET~
 NTE**All TL's are available after 100 PM of the day of loading. Load availability for~
 NTE** an earlier pick up must be confirmed by a phone call to the shipping supervisor~
 NTE**. LTL must be picked up by noon. Paperwork is at shipping desk from 600 AM to 5~
 NTE**00 PM. Available at guard shack after hours. If Live load, call Neil Sarce 928~
 NTE**-274-7283 for appointment.~
 N1*SF*COMAIR*93*HTX3~
 N3*NO. 108 CIUDAD INDUSTRIAL*SUIITE 111~
 N4*TIJUANA*EM*22500*MEX~
 G61*SH*Gordon Solstice*TE*324-882-2325~
 OID*3383051~
 LAD*PCS*1~
 L5***001*N~
 AT8*G*L*10000*1**E*0~
 G61*ZZ*ZZ~
 L11*039874993*P8~
 OID*3383082~
 LAD*PCS*1~
 L5***001*N~
 AT8*G*L*10000*1**E*2500~
 G61*ZZ*ZZ~
 L11*883028673*P8~
 S5*2*UL*10000*L*1*PC*0*E~
 G62*97*20060214*Z*1300*ET~
 NTE**MARK B/L CALL 837-673-8273 FOR DELIVERY APPTRECORD DATES CODES ON LOADING DIAGRA~
 NTE**M CARRIER MUST SORT AND SEGREGATE AT DELIVERY~
 N1*ST*RECKITT BENCKISER*93*HT2087000001~
 N3*4343 E MUSTARD WAY*DOCK15~
 N4*SPRINGFIELD*MO*658037139*USA~
 G61*DC*CUSTOMER SERVICE*TE*555-555-4519~
 OID*3383051~
 LAD*PCS*1~
 L5***001*N~
 AT8*G*L*10000*1**E*0~
 G61*ZZ*ZZ~
 L11*263788564*P8~
 S5*3*UL*10000*L*1*PC*2500*E~
 G62*70*20060223*X*1200*ET~
 N1*ST*RECKITT BENCKISER*93*HT1860050171~
 N3*360 INDEPENDENCE AVE~
 N4*MECHANICSBURG*PA*170558306*USA~
 G61*DC*DAVID PASCHALL*TE*555.555.3616~
 OID*3383082~
 LAD*PCS*1~
 L5***001*N~
 AT8*G*L*10000*1**E*2500~
 G61*ZZ*ZZ~

L11*029876475*P8~
 L3*20000*G***264964****2500*E*2*L**00*PL~
 SE*66*10100170~
 GE*1*10100170~
 IEA*1*010100170~

Point-To-Point Tender Example-

ISA*00* *00* *14*006922827TMO204*02*CARRIERID *050829*1025*U*00401*010100170*0*P*:-~
 GS*SM*006922827TMO204*CARRIERID*20050829*1025*10100170*X*004010~
 ST*204*10100170~
 B2**SCAC**2765636*L*PP*L~
 B2A*49*LT~
 L11*123456*DI~
 G62*64*20050829*1*1125*ET~
 AT5*FR*EX~
 NTE**If picking up at one of the following DC's Roanoke, Riverside, or Groveport plea~
 NTE**se arrive @ PU with empty trailer by 1900 one business day prior to PU. Weekend~
 NTE**PU- Trailer needs to be in yard by 1900 Thursday. Yard Open 24 x 7. No Bobtail~
 NTE**Multi-stop loads, 1 load locks required with driver. Carrier cannot deliver~
 NTE**beyond the scheduled delivery date without Ryder's approval. Adherence is expec~
 N1*BT*Philips Consumer Electronics c/o Ryder*93*CLIENTCODE~
 N3*PO BOX 134003~
 N4*ANN ARBOR*MI*48103*USA~
 N7**987654*****2B****4806*****10*8~
 S5*1*LD*119.5*L*1*PC*21.4286*E~
 G62*69*20050830*U*1700*ET~
 PLD*20~
 NTE**3468072 - 5733347631~
 N1*SF*PHILIPS CONSUMER ELECTRONICS - DALLAS*93*PCUIT~
 N3*300 FREEDOM DR*DOCK 15~
 N4*ROANOKE*TX*762620000*USA~
 G61*SH*Tom / Tonya*TE*682-831-4866~
 OID*3468072~
 LAD*PCS*1~
 L5***HUB*N~
 AT8*G*L*119.5*1**E*21.4286~
 G61*ZZ*ZZ~
 L11*0054887858*P8~
 L11*CD2 WHITE GLOVE*DJ~
 L11*1254458785*P8~
 S5*2*UL*119.5*L*1*PC*21.4286*E~
 G62*70*20050902*X*0800*ET~
 PLD*20~
 N1*ST*EXEL DIRECT*93*SKKIMOHAEZEL63042~
 N3*630 LAMBERT POINTE DRIVE*SUITE 111~
 N4*HAZEL WOOD*MO*63042*USA~
 G61*DC*TINA WEINERTH / DARBY OWEN*TE*314-731-3167~
 OID*3336654~
 LAD*PCS*1~
 L5***HUB*N~
 AT8*G*L*119.5*1**E*21.4286~
 G61*ZZ*ZZ~
 L11*0021587785*P8~
 L11*CD2 WHITE GLOVE*DJ~
 L11*2221548745*P8~
 L3*119.5*G***4500****21.4286*E*1*L**00*PL~
 SE*48*10100170~
 GE*1*10100170~
 IEA*1*010100170~

204 Motor Carrier Load Tender

Functional Group ID=**SM**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Motor Carrier Load Tender Transaction Set (204) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to allow shippers or other interested parties to offer (tender) a shipment to a full load (truckload) motor carrier including detailed scheduling, equipment requirements, commodities, and shipping instructions pertinent to a load tender. It is not to be used to provide a motor carrier with data relative to a Less-than-Truckload bill of lading, pick-up notification, or manifest.

Heading:

<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	010	ST	Transaction Set Header	M	1	
M	020	B2	Beginning Segment for Shipment Information Transaction	M	1	
M	030	B2A	Set Purpose	M	1	
	080	L11	Business Instructions and Reference Number	O	50	
	090	G62	Date/Time	O	1	
	110	AT5	Bill of Lading Handling Requirements	O	6	
	125	LH6	Hazardous Certification	O	6	
	130	NTE	Note/Special Instruction	O	10	
LOOP ID - 0100						5
M	140	N1	Name	M	1	
M	160	N3	Address Information	M	2	
M	170	N4	Geographic Location	M	1	
	190	G61	Contact	O	3	
LOOP ID - 0200						10
	200	N7	Equipment Details	O	1	

Detail:

<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
LOOP ID - 0300						999
M	010	S5	Stop-off Details	M	1	
	020	L11	Business Instructions and Reference Number	O	50	
M	030	G62	Date/Time	M	2	
M	063	PLD	Pallet Information	M	1	
	065	NTE	Note/Special Instruction	O	20	
LOOP ID - 0310						1
M	070	N1	Name	M	1	

	080	N2	Additional Name Information	O	1
M	090	N3	Address Information	M	2
M	100	N4	Geographic Location	M	1
	120	G61	Contact	O	3
LOOP ID - 0350					999
	150	OID	Order Identification Detail	O	1
	180	LAD	Lading Detail	O	999
LOOP ID - 0360					99
	190	L5	Description, Marks and Numbers	O	1
	195	AT8	Shipment Weight, Packaging and Quantity Data	O	1
LOOP ID - 0365					99
	200	G61	Contact	O	1
	201	L11	Business Instructions and Reference Number	O	5

Summary:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	010	L3	Total Weight and Charges	M	1		
M	020	SE	Transaction Set Trailer	M	1		

Segment: **ST** **Transaction Set Header**
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	
M	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 204 Motor Carrier Load Tender	M ID 3/3
M	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

Segment: **B2 Beginning Segment for Shipment Information Transaction**
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To transmit basic data relating to shipment information
Syntax Notes:
Semantic Notes:

- 1 B202 contains the Standard Carrier Alpha Code (SCAC) of the carrier that will receive the bill of lading.
- 2 If B211 is used, B206 will indicate the party or parties responsible for payment of the transportation terms identified in B211.

Comments:

- 1 B202 is mandatory for transaction set 204.
- 2 B209 is mandatory for rail transactions.

Data Element Summary

	<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>	
	B201	375	Tariff Service Code Code specifying the types of services for rating purposes Not currently used. Reserved for possible future use.	O ID 2/2
M	B202	140	Standard Carrier Alpha Code Standard Carrier Alpha Code	M ID 2/4
M	B204	145	Shipment Identification Number Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification; (Does not contain blanks or special characters) Ryder Load Number- Return In The L11 02 With An LO Qualifier In The EDI 214 Transaction and the B1 02 on the EDI 990.	M AN 1/30
	B205	188	Weight Unit Code Code specifying the weight unit K Kilograms L Pounds	O ID 1/1
M	B206	146	Shipment Method of Payment Code identifying payment terms for transportation charges CC Collect PP Prepaid (by Seller) TP Third Party Pay	M ID 2/2
	B207	147	Shipment Qualifier Code defining relationship of this shipment with respect to other shipments given to the carrier at the same time L Single Load (Blind Memo) Memo--Incomplete Documentation	O ID 1/1

Segment: **B2A** Set Purpose
Position: 030
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To allow for positive identification of transaction set purpose
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>	
M	B2A01	353	Transaction Set Purpose Code	M ID 2/2
			Code identifying purpose of transaction set	
			An EDI 997 is required for all EDI 204's. This also applies to EDI 204's that contain a code of "Original - No Responses Necessary"	
			00 Original	
			01 Cancellation	
			04 Change	
			A change status indicates an update (change) from the original tender.	
			The change status will be the way that Ryder notify carriers of any changes to the tender. Ryder will no longer send a cancellation and then re-tender the corrected load.	
			When a correction is sent the entire load tender transaction with the changes will be sent.	
		49	Original - No Response Necessary	
			"Auto Accept" - will be used when an EDI 990 is not required in response to the tender. An EDI 997 is still required. Primarily to be used for Less-Than-Truckload carriers.	
	B2A02	346	Application Type	O ID 2/2
			Code identifying an application	
			LT Load Tender - Truckload (TL) Carrier Only	
			Used by a shipper to inform carrier that a particular load is available or becoming available for movement; also signifies an advance pick-up notification	

Segment: **L11 Business Instructions and Reference Number**
Position: 080
Loop:
Level: Heading
Usage: Optional
Max Use: 50
Purpose: To specify instructions in this business relationship or a reference number
Syntax Notes: 1 At least one of L1101 or L1103 is required.
 2 If either L1101 or L1102 is present, then the other is required.
Semantic Notes:
Comments:

Data Element Summary

<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>	
L1101	127	Reference Identification	X AN 1/30
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
L1102	128	Reference Identification Qualifier	X ID 2/3
		Code qualifying the Reference Identification	
		CN Carrier's Reference Number (PRO/Invoice)	
		DI Distributor Invoice Number	
		DU Dependents Information	
		Qualifies text data that describes information about a dependent spouse or children as it pertains to the transportation of household goods	
		MB Master Bill of Lading	
		Return in the B10 02 on the EDI 214	
		OQ Order Number	
		Pella Window and Door use only	
		Syngenta use only	
		Qualifies a code that identifies the authorizing documentation for a household goods.	
		Return in the B10 02 on the EDI 214	

Segment: **G62** Date/Time
Position: 090
Loop:
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To specify pertinent dates and times
Syntax Notes:

- 1 At least one of G6201 or G6203 is required.
- 2 If either G6201 or G6202 is present, then the other is required.
- 3 If either G6203 or G6204 is present, then the other is required.

Semantic Notes:

Comments:

Notes:

This segment is used to transmit the date and time the EDI 990 must be received by in order to confirm or reject the load. If the EDI 990 is not received before this date and time then the load may or may not be re-assigned to another carrier.

Data Element Summary

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>		
G6201	432	Date Qualifier		X ID 2/2
		Code specifying type of date		
		64 Must Respond By		
G6202	373	Date		X DT 8/8
		Date expressed as CCYYMMDD		
G6203	176	Time Qualifier		X ID 1/2
		Code specifying the reported time		
		1 Must Respond By		
G6204	337	Time		X TM 4/8
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)		
G6205	623	Time Code		O ID 2/2
		Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow		
		AT Alaska Time		
		CT Central Time		
		ET Eastern Time		
		LT Local Time		
		MT Mountain Time		
		PT Pacific Time		

Segment: **AT5** **Bill of Lading Handling Requirements**
Position: 110
Loop:
Level: Heading
Usage: Optional
Max Use: 6
Purpose: To identify Bill of Lading handling and service requirements
Syntax Notes: 1 Only one of AT501 or AT503 may be present.
 2 Only one of AT502 or AT503 may be present.
Semantic Notes:
Comments:

Data Element Summary

<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>	
AT501	152	Special Handling Code	X ID 2/3
		Code specifying special transportation handling instructions	
		EE Electronic Equipment Transfer	
		EX Explosive Flammable Gas	
		FR Fragile - Handle with Care	
		HQT High Cube Trailer Rates	
		HZD Hazardous Cargo On Deck	
		IMS Intermodal Shipment Service	
		KMD Keep Material Dry	
		LTT Less Than Truckload	
		MRF Refrigerated	
		OTC Temperature Control	
		PUP PUP Trailer Rates Apply	
		TDC Truckload-Double Operator-Common Carrier	
		TSC Truckload-Single Operator-Common Carrier	
AT502	560	Special Services Code	X ID 2/10
		Code identifying the special service	
		D1 One - Day Service	
		D2 Two - Day Service	
		EX Expedited Service	
		RD Residential Delivery	
		SD Shrinkage Allowance	
AT503	153	Special Handling Description	X AN 2/30
		Free-form additional description of special handling instructions to appear on printed bill if special handling code is not adequate	
		3 Day Express Service	3DAY
		Third Day - After Hours	3PA
		Third Day - After Hours (Oversize)	3PAO
		Third Day PM - Commercial	3PRC
		Third Day - Regular Hours (Oversize)	3PRO
		Third Day - Saturday	3PS
		Third Day - Saturday (Oversize)	3PSO
		Third Day - Sunday	3PU

Third Day - Sunday (Oversize)	3PUO
Air Service	AIR
Deferred Service – After Hours	DPA
Deferred Service - After Hours (Oversize)	DPAO
Deferred Service - Regular Hours (Oversize)	DPRO
Deferred Service – Saturday	DPS
Deferred Service - Saturday (Oversize)	DPSO
Deferred Service – Sunday	DPU
Deferred Service - Sunday (Oversize)	DPUO
Demand Stop	DS
Ground Commercial	GC
Ground Expedite - After Hours(Oversize)	GXAO
Heavy Air - 3 Day Air	HA3D
Heavy Air - 4 Day Air	HA4D
Heavy Air - Domestic Deferred (5 Day)	HADD
Heavy Air - Domestic Ground	HADG
Heavy Air - International Deferred (5 Day)	H Aid
Heavy Air - International Ground	HAIG
Heavy Air - International Priority	HAIP
International Economy Saturday	INES
International Priority Saturday	INPS
International Shipments	INTL
Next Flight Out - Counter to Counter	NFOCC
Next Flight Out - Counter to Door	NFOCD
Next Flight Out - Door to Counter	NFODC
Next Flight Out - Door to Door	NFODD
Ocean -Domestic - Door to Door	ODDD
Ocean -Domestic - Door to Port	ODDP
Ocean -Domestic - Port to Door	ODPD
Ocean - International - Door to Door	OIDD
Ocean - International - Door to Port	OIDP
Ocean - International - Port to Door	OIPD
Parcel - 3 Day Air	PA3D
Parcel - 4 Day Air	PA4D
Parcel - Domestic Deferred (5 Day)	PADD
Parcel - Domestic Ground	PADG
Parcel - International Deferred (5 Day)	PAID
Parcel - International Ground	PAIG
Parcel - International Priority	PAIP
Rail	RAIL
Truckload Van – Ref	TLR

Segment: **LH6** **Hazardous Certification**
Position: 125
Loop:
Level: Heading
Usage: Optional
Max Use: 6
Purpose: To specify the name of the person certifying that the shipment complies with the regulations and/or the actual certification
Syntax Notes: 1 If either LH602 or LH603 is present, then the other is required.
Semantic Notes:
Comments:

Data Element Summary

<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>		
LH601	93	Name Free-form name To contain an emergency contact name and phone number.	O	AN 1/60
LH602	272	Hazardous Certification Code Code indicating the form of the hazardous certification 1 unless otherwise indicated.	X	ID 1/1
LH603	273	Hazardous Certification Declaration Hazardous material certification verbiage as required by Title 49 of Code of Federal Regulations From Title 49 of the federal code.	X	AN 1/25
LH604	273	Hazardous Certification Declaration Hazardous material certification verbiage as required by Title 49 of Code of Federal Regulations	O	AN 1/25

Segment: **NTE** Note/Special Instruction
Position: 130
Loop:
Level: Heading
Usage: Optional
Max Use: 10
Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Syntax Notes:

Semantic Notes:

Comments: 1 The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	
M	<u>Attributes</u> NTE02	352	Description	M AN 1/80
			A free-form description to clarify the related data elements and their content	

- Segment:** **N1** Name
- Position:** 140
- Loop:** 0100 Mandatory
- Level:** Heading
- Usage:** Mandatory
- Max Use:** 1
- Purpose:** To identify a party by type of organization, name, and code
- Syntax Notes:**
- 1 At least one of N102 or N103 is required.
 - 2 If either N103 or N104 is present, then the other is required.
- Semantic Notes:**
- Comments:**
- 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 - 2 N105 and N106 further define the type of entity in N101.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	
M	N101	98	Entity Identifier Code	M ID 2/3
			Code identifying an organizational entity, a physical location, property or an individual	
			BT Bill-to-Party	
M	N102	93	Name	M AN 1/60
			Free-form name	
			For clients that Ryder will also do Freight Bill Audit And Pay This Will Read "Client Name" C\O Ryder	
			Current Client Names: American Bottling Company Cadbury Adams Bacardi DPSU HP Pick/Pack/Ship Honeywell HP NACC Huhtamaki IGPS Lexmark Mott's Pella Philips Consumer Electronics Pratt & Whitney Pratt & Whitney Canada Reckitt Benckiser US Postal Service	
			For Freight Billing Inquiries Please Call 800-235-2565	
M	N103	66	Identification Code Qualifier	M ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)	
			93 Code assigned by the organization originating the	

M N104 67 **Identification Code** M AN 2/80

transaction set

Code identifying a party or other code

Note- Ryder's Client Code.

Client -----	Ryder Client Code -----
American Bottling Company	ABC
Cadbury Adams	ADAMS
Bacardi	BACARDI
DPSU	DPSU
Honeywell	HONEYWELL
HP NACC	HPNACC
HP Pick/Pack/Ship	HPS
Huhtamaki	HUHTAMAKI
IGPS	IGPS
Lexmark	LEX
Mott's	MOTT
Pella	PELLA
Philips Consumer Electronics	PHILIPS
Pratt & Whitney	PRU
Pratt & Whitney Canada	PRC
Reckitt Benckiser	RECKITT
US Postal Service	USPS

Segment: **N3** **Address Information**
Position: 160
Loop: 0100 Mandatory
Level: Heading
Usage: Mandatory
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u> <u>Des.</u> <u>Attributes</u>	<u>Data</u> <u>Element</u>	<u>Name</u>		
M	N301	166	Address Information Address information	M	AN 1/55
	N302	166	Address Information Address information May contain address notes (i.e. suite number, dock number).	O	AN 1/55

Segment: **N4 Geographic Location**
Position: 170
Loop: 0100 Mandatory
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax Notes: 1 If N406 is present, then N405 is required.
Semantic Notes:
Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
 2 N402 is required only if city name (N401) is in the U.S. or Canada.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	
M	<u>N401</u>	19	City Name Free-form text for city name	M AN 2/30
M	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency	M ID 2/2
M	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	M ID 3/15
	N404	26	Country Code Code identifying the country	O ID 2/3

Segment: **G61 Contact**
Position: 190
Loop: 0100 Mandatory
Level: Heading
Usage: Optional
Max Use: 3
Purpose: To identify a person or office to whom communications should be directed
Syntax Notes: 1 If either G6103 or G6104 is present, then the other is required.
Semantic Notes:
Comments: 1 G6103 qualifies G6104.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	
G6101	366	Contact Function Code		O ID 2/2
			Code identifying the major duty or responsibility of the person or group named	
G6102	93	Name		O AN 1/60
			Free-form name	
G6103	365	Communication Number Qualifier		X ID 2/2
			Code identifying the type of communication number	
		EM	Electronic Mail	
		FX	Facsimile	
		TE	Telephone	
G6104	364	Communication Number		X AN 1/80
			Complete communications number including country or area code when applicable	
			Telephone, fax or email based on communication number qualifier.	

Segment: **N7 Equipment Details**
Position: 200
Loop: 0200 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify the equipment
Syntax Notes:
 1 If either N703 or N704 is present, then the other is required.
 2 If either N705 or N716 is present, then the other is required.
 3 If either N708 or N709 is present, then the other is required.
Semantic Notes:
 1 N712 is the owner of the equipment.
 2 N723 is the operator or carrier of the rights of the equipment.
Comments:
 1 N701 is mandatory for rail transactions.
 2 N720 and N721 are expressed in inches.

Data Element Summary

	<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>	
M	N702	207	Equipment Number Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)	M AN 1/10
	N711	40	Equipment Description Code Code identifying type of equipment used for shipment 2B 20 ft. IL Container (Closed Top) 4B 40 ft. IL Container (Closed Top) CN Container CZ Refrigerated Container FT Flat Bed Trailer RR Rail Car TK Trailer, Tank (Food Grade-Liquid) TL Trailer (not otherwise specified) TW Trailer, Refrigerated A refrigerated trailer capable of keeping product cold. Different from a temperature controlled trailer which is able to keep product at a constant temperature VE Vessel, Ocean VR Vessel, Ocean, Rollon-Rolloff	O ID 2/2
	N713	319	Temperature Control Free-form abbreviation of temperature range or flash-point temperature	O AN 3/6
	N715	567	Equipment Length Length (in feet and inches) of equipment ordered or used to transport shipment (The format is FFFII where FFF is feet and II is inches; the range for II is 00 through 11) Length (in feet and inches) of equipment to transport freight. Format is FFFII where FFF is feet and II is inches; the range for II is 00 through 11.	O N0 4/5
	N720	65	Height Vertical dimension of an object measured when the object is in the upright	O R 1/8

N721	189	position Width	O R 1/8
-------------	------------	--------------------------	----------------

Shorter measurement of the two horizontal dimensions measured with the object in the upright position

Segment: **S5 Stop-off Details**
Position: 010
Loop: 0300 Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To specify stop-off detail reference numbers and stop reason
Syntax Notes: 1 If either S503 or S504 is present, then the other is required.
 2 If either S505 or S506 is present, then the other is required.
 3 If either S507 or S508 is present, then the other is required.
Semantic Notes: 1 S509 is the stop reason description.
Comments:

Data Element Summary

	<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>	
M	S501	165	Stop Sequence Number Identifying number for the specific stop and the sequence in which the stop is to be performed Stops start with 0 and increment by 1. 0 = pick up	M N0 1/3
M	S502	163	Stop Reason Code Code specifying the reason for the stop CU Complete Unload LD Load PL Part Load PU Part Unload UL Unload	M ID 2/2
	S503	81	Weight Numeric value of weight Scaled Weight Associated With The Pick Up Or Drop.	X R 1/10
	S504	188	Weight Unit Code Code specifying the weight unit L Pounds	X ID 1/1
	S505	382	Number of Units Shipped Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set	X R 1/10
	S506	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken MX Mixed PC Piece PL Pallet/Unit Load	X ID 2/2
	S507	183	Volume Value of volumetric measure	X R 1/8
	S508	184	Volume Unit Qualifier Code identifying the volume unit	X ID 1/1

E

Cubic Feet

Segment: **L11 Business Instructions and Reference Number**
Position: 020
Loop: 0300 Mandatory
Level: Detail
Usage: Optional
Max Use: 50
Purpose: To specify instructions in this business relationship or a reference number
Syntax Notes: **1** At least one of L1101 or L1103 is required.
2 If either L1101 or L1102 is present, then the other is required.
Semantic Notes:
Comments:
Notes: Reserved for future use.

Data Element Summary

<u>Ref.</u> <u>Des.</u> <u>Attributes</u>	<u>Data</u> <u>Element</u>	<u>Name</u>		
L1101	127	Reference Identification	X	AN 1/30
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
L1102	128	Reference Identification Qualifier	X	ID 2/3
		Code qualifying the Reference Identification		
L1103	352	Description	X	AN 1/80
		A free-form description to clarify the related data elements and their content		

Segment: **G62** Date/Time
Position: 030
Loop: 0300 Mandatory
Level: Detail
Usage: Mandatory
Max Use: 2
Purpose: To specify pertinent dates and times
Syntax Notes:
 1 At least one of G6201 or G6203 is required.
 2 If either G6201 or G6202 is present, then the other is required.
 3 If either G6203 or G6204 is present, then the other is required.
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>	
M	G6201	432	Date Qualifier Code specifying type of date	M ID 2/2
		69	Scheduled Pick-Up Date No appointment is required	
		70	Scheduled Delivery Date No appointment is required	
		96	Scheduled Pick-up Date, Needs Confirmation Appointment is required, carrier must call for appointment	
		97	Scheduled Delivery Date, Needs Confirmation Appointment is required, carrier must call for appointment	
		98	Scheduled Pick-up Date, Appointment Confirmed Appointment is required and Ryder has already confirmed the appointment	
		99	Scheduled Delivery Date, Appointment Confirmed Appointment is required and Ryder has already confirmed the appointment	
M	G6202	373	Date Date expressed as CCYYMMDD	M DT 8/8
M	G6203	176	Time Qualifier Code specifying the reported time	M ID 1/2
		2	Pickup Appointment Scheduled Time Appointment is required and Ryder has already confirmed the appointment	
		3	Delivery Appointment Scheduled Time Appointment is required and Ryder has already confirmed the appointment	
		U	Scheduled Pick Up Time No appointment is required	
		X	Scheduled Delivery Time No appointment is required	
		Y	Requested Pick Up Time	

				Appointment is required, carrier will call for appointment
			Z	Requested Delivery Time
				Appointment is required, carrier will call for appointment
M	G6204	337	Time	M TM 4/8
				Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)
M	G6205	623	Time Code	M ID 2/2
				Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow
				Note- LT refers to the local time of the stop.
			AT	Alaska Time
			CT	Central Time
			ET	Eastern Time
			LT	Local Time
			MT	Mountain Time
			PT	Pacific Time

Segment: **PLD** Pallett Information

Position: 063
Loop:
Level: Heading
Usage: Optional
Max Use: 10
Purpose: Number of pallets Shipped
Syntax Notes: If either PLD03 or PLD04 is present, then the other is required
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>	
M	PLD01	406	Quantity of Pallets Shipped Number of units (pallets) of the lading commodity	M N0 1/3

Segment: NTE Note/Special Instruction

Position: 065
Loop: 0300 Mandatory
Level: Detail
Usage: Optional
Max Use: 20
Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Syntax Notes:

Semantic Notes:

Comments: 1 The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	
M	<u>Attributes</u> NTE02	352	Description	M AN 1/80
			A free-form description to clarify the related data elements and their content	

Segment: **N1** Name
Position: 070
Loop: 0310 Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes:
 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments:
 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	
M	N101	98	Entity Identifier Code	M ID 2/3
			Code identifying an organizational entity, a physical location, property or an individual	
			SF Ship From	
			ST Ship To	
			If S5 02 Is LD Then SF - Ship From	
			If S5 02 Is PU Then ST - Ship To	
M	N102	93	Name	M AN 1/60
			Free-form name	
	N103	66	Identification Code Qualifier	X ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)	
			93 Code assigned by the organization originating the transaction set	
	N104	67	Identification Code	X AN 2/80
			Code identifying a party or other code	
			Note- This Code May Change Without Notice. Do Not Rely On It As A Unique Code For A Given Location.	

Segment: **N2 Additional Name Information**
Position: 080
Loop: 0310 Mandatory
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify additional names or those longer than 35 characters in length
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Ref. Des. <u>Attributes</u>	Data Element	Name		
M	N201	93	Name Free-form name	M	AN 1/60
	N202	93	Name Free-form name	O	AN 1/60

Segment: **N3** **Address Information**
Position: 090
Loop: 0310 Mandatory
Level: Detail
Usage: Mandatory
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Ref. Des. <u>Attributes</u>	Data Element	Name		
M	N301	166	Address Information Address information	M	AN 1/55
	N302	166	Address Information Address information May contain address notes (i.e. suite number, dock number).	O	AN 1/55

Segment: **N4 Geographic Location**
Position: 100
Loop: 0310 Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax Notes: 1 If N406 is present, then N405 is required.
Semantic Notes:
Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
 2 N402 is required only if city name (N401) is in the U.S. or Canada.

Data Element Summary

	Ref. Des.	Data Element	Name	
M	<u>N401</u>	19	City Name Free-form text for city name	M AN 2/30
M	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency	M ID 2/2
M	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	M ID 3/15
>>	N404	26	Country Code Code identifying the country	O ID 2/3

Segment: **G61 Contact**
Position: 120
Loop: 0310 Mandatory
Level: Detail
Usage: Optional
Max Use: 3
Purpose: To identify a person or office to whom communications should be directed
Syntax Notes: 1 If either G6103 or G6104 is present, then the other is required.
Semantic Notes:
Comments: 1 G6103 qualifies G6104.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	
G6101	366	Contact Function Code		O ID 2/2
			Code identifying the major duty or responsibility of the person or group named	
G6102	93	Name		O AN 1/60
			Free-form name	
G6103	365	Communication Number Qualifier		X ID 2/2
			Code identifying the type of communication number	
		EM	Electronic Mail	
		FX	Facsimile	
		TE	Telephone	
G6104	364	Communication Number		X AN 1/80
			Complete communications number including country or area code when applicable	
			Telephone, fax or email based on communication number qualifier.	

Segment: **OID** **Order Identification Detail**
Position: 150
Loop: 0350 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify order identification detail
Syntax Notes:

- 1 At least one of OID01 or OID02 is required.
- 2 If OID03 is present, then OID02 is required.
- 3 If either OID04 or OID05 is present, then the other is required.
- 4 If either OID06 or OID07 is present, then the other is required.
- 5 If either OID08 or OID09 is present, then the other is required.

Semantic Notes:

- 1 OID01 is the seller's order identification number.
- 2 OID03 is the number assigned by the consignee to further define the purchase order number.

Comments:

Data Element Summary

<u>Ref.</u> <u>Des.</u> <u>Attributes</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	
OID01	127	Reference Identification	X AN 1/30
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
Shipment ID used to match shipment load/unload by stops.			

Segment: **LAD** Lading Detail
Position: 180
Loop: 0350 Optional
Level: Detail
Usage: Optional
Max Use: 999
Purpose: To transmit detailed lading data pertinent to a pickup or delivery
Syntax Notes:

- 1 If either LAD01 or LAD02 is present, then the other is required.
- 2 If either LAD03 or LAD04 is present, then the other is required.
- 3 If either LAD05 or LAD06 is present, then the other is required.
- 4 If either LAD07 or LAD08 is present, then the other is required.
- 5 If either LAD09 or LAD10 is present, then the other is required.
- 6 If either LAD11 or LAD12 is present, then the other is required.

Semantic Notes:
Comments:

Data Element Summary			
Ref. Des. <u>Attributes</u>	Data Element	Name	
LAD01	211	Packaging Form Code Code for packaging form of the lading quantity BOX Box CNT Container PCS Pieces	X ID 3/3
LAD02	80	Lading Quantity Number of units (pieces) of the lading commodity	X N0 1/7
LAD13	79	Lading Description Description of an item as required for rating and billing purposes	O AN 1/50

Segment: **L5** Description, Marks and Numbers
Position: 190
Loop: 0360 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify the line item in terms of description, quantity, packaging, and marks and numbers

Syntax Notes:

- 1 If either L503 or L504 is present, then the other is required.
- 2 If L507 is present, then L506 is required.
- 3 If either L508 or L509 is present, then the other is required.

Semantic Notes:

Comments:

- 1 L502 may be used to send quantity information as part of the product description.

Data Element Summary

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>		
L502	79	Lading Description	O	AN 1/50
		Description of an item as required for rating and billing purposes		
L503	22	Commodity Code	X	AN 1/30
		Code describing a commodity or group of commodities		
		Ambient	AM	
		AmbientHaz	AMHZ	
		Components	COMP	
		DEFAULTDATA	*DFT	
		DryGoods	DRY	
		DryHaz	DRHZ	
		Electronics	ELEC	
		ExplosiveMaterial	EXPL	
		FragileGoods	FRAG	
		Fresh	FRES	
		Frozen	FZ	
		FrozenGoods	FROZ	
		FrozenHaz	FRHZ	
		FrozenHazMat	FZHZ	
		Livestock	LIVE	
		Mixed Commodities	001	
		Refrigerated	RF	
		RefrigeratedHaz	RFHZ	
		SteelTubing	STTU	
		Temperature Control Required	TEMP	
		(HUB) Hub Commodity Code	HUB	
		(HAZ) Hazardous	HAZ	
		(62) Home Delivery Commodity Code	62	
		(MISC) Miscellaneous	MISC	
L504	23	Commodity Code Qualifier	X	ID 1/1
		Code identifying the commodity coding system used for Commodity Code		
		N National Motor Freight Classification (NMFC)		

Segment: **AT8** **Shipment Weight, Packaging and Quantity Data**
Position: 195
Loop: 0360 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify shipment details in terms of weight, and quantity of handling units
Syntax Notes:
 1 If any of AT801 AT802 or AT803 is present, then all are required.
 2 If either AT806 or AT807 is present, then the other is required.
Semantic Notes:
 1 AT804 is the quantity of handling units that are not unitized (for example a carton). When added to the quantity in AT805, it is the total quantity of handling units in the shipment.
 2 AT805 is the quantity of handling units that are unitized (for example on a pallet or slip sheet). When added to the quantity in AT804 it is the total quantity of handling units for the shipment.
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>		
<u>Des.</u>	<u>Element</u>			
Attributes				
AT801	187	Weight Qualifier	X	ID 1/2
		Code defining the type of weight		
		G Gross Weight		
AT802	188	Weight Unit Code	X	ID 1/1
		Code specifying the weight unit		
		L Pounds		
AT803	81	Weight	X	R 1/10
		Numeric value of weight		
AT804	80	Lading Quantity	O	N0 1/7
		Number of units (pieces) of the lading commodity		
AT806	184	Volume Unit Qualifier	X	ID 1/1
		Code identifying the volume unit		
		E Cubic Feet		
AT807	183	Volume	X	R 1/8
		Value of volumetric measure		

Segment: **G61 Contact**
Position: 200
Loop: 0365 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To identify a person or office to whom communications should be directed
Syntax Notes: 1 If either G6103 or G6104 is present, then the other is required.
Semantic Notes:
Comments: 1 G6103 qualifies G6104.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	
G6101	366	Contact Function Code		O ID 2/2
			Code identifying the major duty or responsibility of the person or group named	
G6102	93	Name		O AN 1/60
			Free-form name	
			Ryder Transportation Management Center (Ryder TMC)	
G6103	365	Communication Number Qualifier		X ID 2/2
			Code identifying the type of communication number	
			EM Electronic Mail	
			TE Telephone	
G6104	364	Communication Number		X AN 1/80
			Complete communications number including country or area code when applicable	
			866-339-9282	
			tmcappoint@ryder.com	

Segment: **L11 Business Instructions and Reference Number**
Position: 201
Loop: 0365 Optional
Level: Detail
Usage: Optional
Max Use: 5
Purpose: To specify instructions in this business relationship or a reference number
Syntax Notes:
 1 At least one of L1101 or L1103 is required.
 2 If either L1101 or L1102 is present, then the other is required.
Semantic Notes:
Comments:

Data Element Summary

<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>	
L1101	127	Reference Identification	X AN 1/30
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
L1102	128	Reference Identification Qualifier	X ID 2/3
		Code qualifying the Reference Identification	

The qualifiers in this document supersede all previous documents. The qualifiers listed here are the only ones Ryder supports. The previous qualifiers are no longer used so you will need to make the appropriate adjustments.

Ryder has changed and consolidated the qualifiers for this element. Please note that the cross reference from the old qualifiers to the new qualifiers is as follows:

DN, CO, and SO have been consolidated to P8.
 These are reference numbers relating to the entity where the freight is originating
 CP and PO have been consolidated to DJ.
 These are reference numbers relating to the entity where the freight is delivering

AO	Appointment Number
DJ	Delivery Ticket Number
	Return in the N9 of v3040 or L11 of v4010 with a PO qualifier on the EDI 214
IX	Item Number
P8	Pickup Reference Number
	Return in the B10 02 on the EDI 214

Segment: **L3 Total Weight and Charges**
Position: 010
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To specify the total shipment in terms of weight, volume, rates, charges, advances, and prepaid amounts applicable to one or more line items

- Syntax Notes:**
- 1 If either L301 or L302 is present, then the other is required.
 - 2 If either L303 or L304 is present, then the other is required.
 - 3 If either L309 or L310 is present, then the other is required.
 - 4 If L312 is present, then L301 is required.
 - 5 If either L314 or L315 is present, then the other is required.

Semantic Notes: 1 L305 is the total charges.
Comments:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>		
M	L301	81	Weight	M	R 1/10
			Numeric value of weight		
M	L302	187	Weight Qualifier	M	ID 1/2
			Code defining the type of weight		
			G Gross Weight		
	L304	122	Rate/Value Qualifier	X	ID 2/2
			Code qualifying how to extend charges or interpret value		
			FR Flat Rate		
			HM Rate Per Hundred Weight Per Mile		
			MA Minimum per Service		
			MB Per Mile per Service		
			Describes a rate that applies to the distance over which a service is performed		
			PL Per Load		
			PM Per Mile		
	L305	58	Charge	O	N2 1/12
			For a line item: freight or special charge; for the total invoice: the total charges -- expressed in the standard monetary denomination for the currency specified		
M	L309	183	Volume	M	R 1/8
			Value of volumetric measure		
			Sum Of All S5 07		
M	L310	184	Volume Unit Qualifier	M	ID 1/1
			Code identifying the volume unit		
			E Cubic Feet		
M	L311	80	Lading Quantity	M	N0 1/7
			Number of units (pieces) of the lading commodity		
M	L312	188	Weight Unit Code	M	ID 1/1
			Code specifying the weight unit		
			L Pounds		

L314	74	Declared Value	X	N2 2/12
		Monetary assigned value expressed in the standard monetary denomination for the currency specified		

Segment: **SE** Transaction Set Trailer
Position: 020
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	<u>Ref. Des. Attributes</u>	<u>Data Element</u>	<u>Name</u>	
M	SE01	96	Number of Included Segments	M N0 1/10
			Total number of segments included in a transaction set including ST and SE segments	
M	SE02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	